

Wykop 0.39
Nasyp 0.00

Wykop 0.24
Nasyp 0.23

2+040.47

Wykop 0.50
Nasyp 0.00

-8.0% -2.0% -2.0% -8.0%

205.87	206.09	206.10	206.11	206.13	206.16	206.21	206.27
5.00	-5.00	-2.50	-1.75	0.00	1.75	2.50	5.00

2+217.33

Wykop 0.25
Nasyp 0.01

-8.0% -2.0% -2.0% -8.0%

206.40	206.42	206.32	206.31	206.27	206.29	206.34	206.38	206.48
5.00	-5.00	-2.55	-2.50	-1.75	0.00	1.75	2.50	5.00

2+236.65

Wykop 0.35
Nasyp 0.05

-8.0% -2.0% -2.0% -8.0%

206.10	206.17	206.18	206.22	206.30	206.38	206.34	206.23
5.00	-2.69	-2.50	-1.75	0.00	1.75	2.50	5.00

2+260.68

Wykop 0.05
Nasyp 0.08

-8.0% -2.0% -2.0% -8.0%

206.06	206.18	206.25	206.27	206.28	206.26	206.26	206.20
5.00	-2.70	-1.75	0.00	1.75	2.50	2.62	5.00

2+280.86

Wykop 0.30
Nasyp 0.02

-8.0% -2.0% -2.0% -8.0%


206.48	206.52	206.52	206.56	206.59	206.62	206.64	206.58
5.00	-2.63	-2.50	-1.75	0.00	1.75	2.50	5.00

Inwestor: Gmiana Sułów, Sułów 63, 22-448 Sułów			
Nazwa opracowania/Nazwa obiektu budowlanego: Przebudowa drogi gminnej nr 110127L Kolonia Sułów - Tworczyów.			
Adres obiektu budowlanego:	Miasto/Miejscowość: Kolonia Sułów	Powiat: zamojski	Województwo: lubelskie
Część:	Projekt budowlany		Skala: 1:100
Branża:	DROGOWA		
Funkcja:	Imię, Nazwisko:	Uprawnienia:	Podpis:
Projektant:	mgr inż. Paweł Flis		LUB/0218/P00D/10
Nazwa rysunku:	Przekroje poprzeczne		Nr rys. 5.3 Wersja: 01
Zamość, Sierpień 2020r.			

1+952.99

Wykop 0.21

Nasyp 0.05




205.22	205.22	205.22	-2.67
205.22	205.22	205.22	-2.50
205.25	205.25	205.25	-1.75
205.31	205.31	205.31	0.00
205.37	205.37	205.37	1.75
205.31	205.31	205.31	2.50
205.30	205.30	205.30	2.59
205.22	205.22	205.22	5.00

1+974.31

Wykop 0.15

Nasyp 0.04




205.30	205.30	205.30	-5.00
205.29	205.29	205.29	-2.65
205.29	205.29	205.29	-2.50
205.33	205.33	205.33	-1.75
205.34	205.34	205.34	0.00
205.36	205.36	205.36	1.75
205.36	205.36	205.36	2.50
205.36	205.36	205.36	2.57
205.36	205.36	205.36	5.00

1+997.06

Wykop 0.36

Nasyp 0.00




205.73	205.73	205.73	-5.00
205.63	205.63	205.63	-2.50
205.52	205.52	205.52	-1.75
205.56	205.56	205.56	0.00
205.59	205.59	205.59	1.75
205.60	205.60	205.60	2.50
205.62	205.62	205.62	5.00

2+018.66

Wykop

Nasyp



206.01	206.01	206.01	-5.00
205.89	205.89	205.89	-2.50
205.82	205.82	205.82	-1.75
205.83	205.83	205.83	0.00
205.84	205.84	205.84	1.75
205.85	205.85	205.85	2.50

2+127.49

Wykop 0.00

Nasyp 0.71




206.11	206.11	206.11	-2.85
206.14	206.14	206.14	-2.50
206.21	206.21	206.21	-1.75
206.22	206.22	206.22	0.00
206.23	206.23	206.23	1.75
206.23	206.23	206.23	2.50
206.23	206.23	206.23	2.73
206.23	206.23	206.23	5.00

2+150.51

Wykop 0.08

Nasyp 0.06




206.43	206.43	206.43	-5.00
206.38	206.38	206.38	-2.55
206.38	206.38	206.38	-2.50
206.31	206.31	206.31	-1.75
206.31	206.31	206.31	0.00
206.35	206.35	206.35	1.75
206.38	206.38	206.38	2.50
206.39	206.39	206.39	2.55
206.50	206.50	206.50	5.00

2+172.08

Wykop 0.33

Nasyp 0.02




206.29	206.29	206.29	-5.00
206.30	206.30	206.30	-2.62
206.30	206.30	206.30	-2.50
206.30	206.30	206.30	-1.75
206.36	206.36	206.36	0.00
206.43	206.43	206.43	1.75
206.41	206.41	206.41	2.50
206.24	206.24	206.24	5.00

2+195.24

Wykop

Nasyp



205.94	205.94	205.94	-5.00
205.96	205.96	205.96	-2.93
206.04	206.04	206.04	-2.50
206.17	206.17	206.17	-1.75
206.31	206.31	206.31	0.00
206.38	206.38	206.38	1.75
206.40	206.40	206.40	2.50

205.94	5.00		
= 205.97	= 205.91	= -2.50	
= 205.94	= 205.97	= -1.75	
= 205.87	= 206.00	= 0.00	
= 205.82	= 205.97	= 1.75	
= 205.83	= 205.91	= 2.50	
205.83	5.00		

[illegible]

Station	Left Side	Right Side	Center
205.72	205.72	205.72	205.72
205.74	205.74	205.74	205.74
205.75	205.75	205.75	205.75
205.57	205.57	205.57	205.57
205.54	205.54	205.54	205.54
205.53	205.53	205.53	205.53
205.51	205.51	205.51	205.51
205.50	205.50	205.50	205.50

	-	206.28	=	206.28	+/-	-2.71	-	5.00
	-	206.28	-	206.55	+/-	-1.75	-	
	-	206.36	-	206.58	+/-	0.00	-	
	-	206.35	-	206.55	+/-	1.75	-	
	-	206.32	-	206.49	+/-	2.59	-	
	-	206.27	-	206.32	+/-	2.67	-	5.00

Point	Elevation	Height Difference
Left Edge	205.29	
Left Shoulder	205.31	-2.64
Left Shoulder	205.31	-2.50
Left Shoulder	205.35	-1.75
Center Ditch	205.51	
Center Ditch	205.54	0.00
Right Shoulder	205.34	1.75
Right Shoulder	205.51	
Right Shoulder	205.29	2.50
Right Shoulder	205.28	2.67
Right Edge	205.25	

206.31		-5.00
206.27	206.27	-2.72
206.25	206.48	-2.50
206.21	206.54	-1.75
206.26	206.58	0.00
206.21	206.54	1.75
206.18	206.48	2.50
206.24	206.24	2.74
206.53		5.00